

PRODUCT DESCRIPTION

Penetrating, water-based protective to be applied to the back and 4 sides of the tiles before installation to reduce and prevent surface staining from efflorescence, rising moisture, salts and yellowing. Indicated on all stones, marbles, granites, terracotta and porous materials. Treated materials remain breathable, blocking salts and decolorations while allowing vapour to escape. Indicated for use with both traditional sand and cement fixing or with cementitious powdered adhesives, product does not alter bonding with bedding. The product does not contain any harmful substances to the environment. Exempt from VOC regulation.

APPLICATION SURFACES

Indicated for textured and polished marbles, travertine, stone, granite and porous materials.

CHEMICAL AND PHYSICAL PROPERTIES

APPEARANCE:	Liquid
COLOR:	Transparent
ODOR:	Characteristic
SPECIFIC GRAVITY AT 20°C:	1,06 +/- 0,05 g/cm ³
SOLUBILITY:	Soluble in all parts
PH:	12,50 +/- 0,50
STORAGE AT 20°C:	24 months in original packaging



HOW TO USE

ALWAYS TEST PRODUCT FIRST following below indications, before proceeding with complete product application. Ensure that surfaces to be treated are completely clean, free of dirt, dust, grime and surface incrustations.

Manual:

Product is ready for use.

Apply an abundant amount of product by spray or brush directly to the backside and edges of the tile. Allow a dwell time of 5 minutes before removing eventual excess product.

Allow tiles to dry for 8 hours before proceeding with installation. Store face-to-face during drying.

Notes: during application, product should be applied to materials with temperature between 10° and 30°C. Before application to floors with underfloor heating, turn off all heating and allow floor to cool completely before product application. Maintain product in its original container/packaging. Always test product first.

RECOMMENDATIONS

Do not dilute with water or solvents. Do not apply to polished front sides. On absorbent materials apply two coats of product with a 10 minute interval between each application. On extremely porous materials, we suggest a third coat of product.

Treatment will not protect surface from etching caused by acidic substances or general surface wear.

Protect treated surfaces from rain, humidity or moisture for 12 hours following application.

Before use, read completely product label, technical data sheet and safety data sheet.

INDICATED COVERAGE

Estimate coverage per litre of product : 10/15 m² *

(*) depending on the number of coats, texture and porosity of the surface.

PACKAGING

CODE	CONTENT	PCS PER BOX
094CPROB005	5 lt	4
094CPROB025	25 lt	1

For further information: www.bellinzoni.com

ATTENTION: Read completely the product label before proceeding with product use. Maintain product in its original container/packaging. Do not disperse packaging in the environment and dispose of separately in accordance with local regulations. Keep out of the reach of children. Always test product first on a small hidden area so to verify final results and product compatibility with material. Product may darken and change the original colour on certain materials. Product does not protect from acid-based substances. While using the product wear indicated protective PPE and clothing and read completely the safety data sheet.

Disclaimer: the present information supersedes and replaces all previous versions. All data indicated in this document are the results of tests and experiments carried out in our laboratories and through reliable operators within the stone business and have to be considered reliable. However, because of the many external and surrounding factors which can influence the final results, the information here reported does not constitute an implicit or a formal guarantee. The end user will undertake the full responsibility in the usage of the product, making sure to test first the product and to experiment with the product as a preventive measure so to understand its full and final characteristics. Bellinzoni has to right to modify any information mentioned on this document, at any time and without notice. Bellinzoni is the sole owner of all trademarks and logos indicated in this document and to copy or modify in part without permission can infringe property rights. Bellinzoni will not be held responsible for its incorrect use and will follow legal percussions as of current law.